



We Build the Invisible

CORONA SHIELD OUR PROTECTIVE SOLUTIONS



Modular and **durable** hygienic **protective walls** for all your spaces.



We Build the Invisible

76 Chemin des Poses | 74330 POISY | FRANCE |

Tél.: +33 (0)4 50 08 39 00 | info@sadev.com | www.sadev.com



① COUNTER SNEEZE GUARD



APPLICATIONS

COUNTER, OFFICES, RECEPTION DESK

FEATURES:

A «Sneeze Guard» solution that protects personnel while enforcing social distancing.

Speak-thru cut-out «and pass-thru slot» possible.

Installation: on counters or desks.


Modular and removable solution: with or without screws. self-supporting fastening system.

PLACES:

Pharmacies, shops, hairdressing salons, public buildings, offices, industries, tourism organizations, hotels, restaurants, bars.


FOR WHICH GLASS?

- Type of glass:
-Tempered monolithic
-Non-tempered laminated
- Glass thickness:
6 à 13,52 mm



PLEXIGLASS
Compatible

HALF HEIGHT



② HYGIENE PARTITION WALL OF PARTIAL AREA



APPLICATIONS

OFFICES, MEETING ROOMS, WAITING ROOMS

FEATURES:

Partition wall between individuals for areas in close proximity. It helps prevent the spread of viruses.

Installation: floor/wall.


Modular and removable solution: with or without fixing screws, gluing possible.

PLACES:

Pharmacies, shops, hairdressing salons, public buildings, offices, industries, tourism organizations, hotels, restaurants, bars.

FOR WHICH GLASS?

- Type of glass:
-Tempered monolithic
-Non-tempered laminated
- Glass thickness:
8 à 17,52 mm



ENTIRE HEIGHT



③ HYGIENE PARTITION WALL OF TOTAL AREA



APPLICATIONS

OPEN SPACE, OFFICES, MEETING ROOMS, WAITING ROOMS

FEATURES:

Partitioning and separating spaces allows the creation of new closed rooms.

The popular solution for open spaces: meeting rooms, offices, videoconference rooms, premises...

Installation: floor to ceiling.


Modular solution according to the space.

PLACES:

Pharmacies, shops, hairdressing salons, public buildings, offices, industries, tourism organizations, hotels, restaurants, bars.

FOR WHICH GLASS?

- Type of glass:
-Tempered monolithic
-Non-tempered laminated
- Glass thickness:
8 à 21,52 mm



④ TAILOR MADE SOLUTIONS



APPLICATIONS

TAILOR-MADE PROTECTION SOLUTIONS FOR YOUR PREMISES

FEATURES:

Create your protective wall according to the configuration of your offices.

Our fixing solutions will adapt perfectly to all your layout projects.

Installation: from floor to ceiling.

Modular solution according to the space.

PLACES:

Pharmacies, shops, hairdressing salons, public buildings, offices, industries, tourism organizations, hotels, restaurants, bars.


FOR WHICH GLASS?

- Type of glass:
Tailor-made
- Glass thickness:
Tailor-made



Speak-thru solution (hygiaphone)
possible

SELF-SUPPORTING GLASS CLAMP SW



PLEXIGLASS
Compatible

Reference: 098050060

Material: Aluminium
Finish: Natural aluminium
or (RAL 7016)



Glass thickness: from 8 to 13,52 mm

Type of glass: Tempered monolithic
Non-tempered laminated

Mounting: glued (adhesive supplied)



CONFIGURATION



► Product details at the end of the catalogue

GLASS CLAMP ON SHORT PLATE



PLEXIGLASS
Compatible

Reference: 094040120-0612

Material: Aluminium



Finish: Natural anodised (02), black (05)

Glass thickness: from 6 to 12 mm

Type of glass: Tempered monolithic
Non-tempered laminated

Mounting: Freestanding or glued

CONFIGURATION



GLASS CLAMP ON LONG PLATE



PLEXIGLASS
Compatible

Reference: 094040200-0612

Material: Aluminium



Finish: Natural anodised (02), black (05)

Glass thickness: from 6 to 12 mm


Type of glass: Tempered monolithic
Non-tempered laminated

Mounting: Freestanding or glued


CONFIGURATION



► Product details at the end of the catalogue




SELF-SUPPORTING MONOBLOCK GLASS CLAMP



Reference: 096570300-0610
Material: Food grade stainless steel
Finish: brushed, mirror polish
Glass thickness: from 6 to 10 mm
Type of glass: Tempered monolithic
Non-tempered laminated
Mounting: Freestanding or glued

CONFIGURATION




GLASS CLAMP ON PLATE




Reference: 096245300-0812
Material: Food grade stainless steel
Finish: brushed
Glass thickness: from 6 to 10.2 mm
Type of glass: Tempered monolithic
Non-tempered laminated
Mounting: Freestanding or glued

CONFIGURATION




WALL POINT FIXING Ø30




Reference: 011000062420
Material: Food grade stainless steel
Finish: brushed
Glass thickness: from 8 to 17,52 mm
Type of glass: Tempered monolithic
Non-tempered laminated
Mounting: drilled (glass and support) screw VBA Ø 6 or Ø 8 metric

CONFIGURATION





COUNTER PROFILE P20



PLEXIGLASS
Compatible

Reference: P20EC29

Material: Aluminium





Finish: Natural anodised (02), black (05)

Glass thickness: from 8 to 13,52 mm

Type of glass: Tempered monolithic
Non-tempered laminated

Mounting: Freestanding or glued

CONFIGURATION



KIT ACCESSORIES

Reference: P20EJ0810/6

Pair of gaskets L: 5,8 m.





Reference: P20EJ1113/6

Pair of gaskets L: 5,8 m.



Reference: 1121001

Square corner joint



Reference: 1071401

Way joint



Reference: P20EP60

Pair of side caps
0,5 mm




Reference: P20EP62

Connecting bracket
profile P20



Adhesive Bonding Tapes
12 meter



Reference: ROLL1205



Reference: ROLL1207



Reference: ROLL1209



② HYGIENE PARTITION WALL OF PARTIAL AREA

HALF HEIGHT



INO SELF-SUPPORTING GLASS



Reference: 0080INO-0606

Material: Aluminium

Finish: brushed

Glass thickness: from 12 to 21,52 mm

Type of glass: Tempered monolithic
Non-tempered laminated

Mounting: fixed to the ground
screw / dowel $\varnothing 10$




WITHOUT GLASS CLAMP

for glasses with a height
max 1.30 m


KIT WITH GLASS CLAMP

for glasses with a height
max 1.60 m

CONFIGURATION



SELF-SUPPORTING GLASS CLAMP SW



Reference: 098050060-0606 (A)

Reference: 098050200-0606 (B)


Material: Aluminium

FFinish: Natural aluminium
or RAL 7016

Glass thickness: from 12 to 13,52 mm

Type of glass: Tempered monolithic
Non-tempered laminated

Mounting: glued




WITHOUT GLASS CLAMP

for glasses with a height
max 1.50 m

KIT WITH GLASS CLAMP

for glasses with a height
max 1.85 m

CONFIGURATION




③ HYGIENE PARTITION WALL OF TOTAL AREA

ENTIRE HEIGHT



GLASS WALL PARTITION PROFILE P20



Reference: P20E28

Reference: P20EC29


Material: Aluminium

Finish: Natural anodised (02), black (05)


Glass thickness: from 12 to 13,52 mm

Type of glass: Tempered monolithic
Non-tempered laminated


Mounting: floor and ceiling mounted




CONFIGURATION



SELF-SUPPORTED SABCO RAIL



Glass
adjustment
possible



Reference: 0070RAIL10-0606

Material: Aluminium

Finish: brushed or RAL 7016

Glass thickness: from 12 to 21,52 mm

Type of glass: Tempered monolithic
Non-tempered laminated


Mounting: fixed to the ground
screw / dowel $\varnothing$ 10


INSTALL
IT FITS !



This profile can also be used as a balustrade.
or file guide for high glass heights.

CONFIGURATION





Ask for your discount!

SELF-SUPPORTING GLASS CLAMP SW

REFERENCE	MATERIALS	GLASS	FINISH	PRICE
098050060-0404-01	Aluminium	04-04 or 10 mm	Brushed (01)	35 €
098050060-0404-03	Aluminium	04-04 or 10 mm	Lacquered RAL 7016 (03)	49 €
098050060-0505-01	Aluminium	05-05 or 10 mm	Brushed (01)	35 €
098050060-0505-03	Aluminium	05-05 or 10 mm	Lacquered RAL 7016 (03)	49 €
098050060-0606-01	Aluminium	06-06 or 12 mm	Brushed (01)	35 €
098050060-0606-03	Aluminium	06-06 or 12 mm	Lacquered RAL 7016 (03)	49 €

GLASS CLAMP ON SHORT PLATE

REFERENCE	MATERIALS	GLASS THICKNESS	FINISH	PRICE
094040120-0612-02	Aluminium	from 6 to 12 mm	Natural anodised (02)	41 €
094040120-0612-05	Aluminium	from 6 to 12 mm	Black (05)	43 €

GLASS CLAMP ON LONG PLATE

REFERENCE	MATERIALS	GLASS THICKNESS	FINISH	PRICE
094040200-0612-02	Aluminium	from 6 to 12 mm	Natural anodised (02)	45 €
094040200-0612-05	Aluminium	from 6 to 12 mm	Black (05)	46 €

SELF-SUPPORTING MONOBLOCK GLASS CLAMP

REFERENCE	MATERIALS	GLASS THICKNESS	FINISH	PRICE
096570300-0610-01	Food grade stainless steel	from 6 to 10 mm	Brushed (01)	46 €
096570300-0610-02	Food grade stainless steel	from 6 to 10 mm	Mirror polish (02)	55 €

GLASS CLAMP ON PLATE

REFERENCE	MATERIALS	GLASS THICKNESS	FINISH	PRICE
096245300-0812	Food grade stainless steel	from 8 to 12 mm	Brushed (01)	52 €

WALL POINT FIXING Ø40

REFERENCE	MATERIALS	GLASS THICKNESS	FINISH	PRICE
01 10 00 06 24 20	Food grade stainless steel	from 8 to 12 mm	Brushed (01)	22 €
01 10 00 06 24 24	Food grade stainless steel	from 12,5 to 17,5 mm	Brushed (01)	23 €

COUNTER PROFILE P20 - Length 2,9 meters

REFERENCE	MATERIALS	GLASS THICKNESS	FINISH	PRICE
P20EC29-02	Aluminium	from 8 to 13,52 mm	Natural anodised (02)	49,68 €
P20EC29-05	Aluminium	from 8 to 13,52 mm	Black (05)	50,38 €

ACCESSORIES FOR COUNTER PROFILE P20

REFERENCE	DENOMINATION	GLASS THICKNESS	DIMENSIONS	PRICE
P20EJ0810/6	Pair of gaskets	from 8 à 10,76 mm	5, 8 meters	2,27 €
P20EJ1113/6	Pair of gaskets	from 11,52 à 13,52 mm	5, 8 meters	8,61 €
1121001	Square corner joint	10-10.8	3 meters	33,18 €
1121201	Square corner joint	12-12.8	3 meters	35,22 €
1071401	Way joint	10-10.8	3 meters	43,48 €
1071601	Way joint	12-12.8	3 meters	44,50 €
P20EP60	Pair of cap	X	0,5 mm	15,14 €
P20EP62	Connecting bracket profile P20	X	X	12,50 € / unity
ROLL1205	Adhesive Bonding Tapes	8 mm	12 meters	9,00 €
ROLL1207	Adhesive Bonding Tapes	10 mm	12 meters	11,50 €
ROLL1209	Adhesive Bonding Tapes	from 12 à 12,76 mm	12 meters	14,70 €

: Net price

Ask for your discount!



INO SELF-SUPPORTING GLASS

REFERENCE	MATERIALS	GLASS THICKNESS	FINISH	PRICE
0080INO-0606	Inox	06.06 or 12 mm	Brushed (01)	70 €
0080INO-0808	Inox	08.08 or 16 mm	Brushed (01)	70 €
0080INO-1010	Inox	10.10 or 20 mm	Brushed (01)	70 €



SELF-SUPPORTING GLASS CLAMP SW

REFERENCE	MATERIALS	GLASS THICKNESS	FINISH	PRICE
098050060-0606-01	Aluminium	06.06 or 12 mm	Brushed (01)	35 €
098050060-0606-03	Aluminium	06.06 or 12 mm	Lacquered RAL 7016 (03)	49 €




SELF-SUPPORTING GLASS CLAMP SW

REFERENCE	MATERIALS	GLASS THICKNESS	FINISH	PRICE
098050200-0606-01	Aluminium	06.06 or 12 mm	Brushed (01)	70 €
098050200-0606-03	Aluminium	06.06 or 12 mm	Lacquered RAL 7016 (03)	98 €




GLASS CLAMP

REFERENCE	MATERIALS	GLASS THICKNESS	FINISH	PRICE
00086245-0812	Inox	from 8 to 12 mm		13 €



HYGIENE PARTITION GLASS WALL PROFILE P20

REFERENCE	MATERIALS	GLASS THICKNESS	FINISH	PRICE
P20E28-02	Aluminium	from 12 to 13,52 mm	Natural anodised (02)	50,88 €
P20E28-05	Aluminium	from 12 to 13,52 mm	Black (05)	51,88 €



SELF-SUPPORTING PROFILE SABCO

REFERENCE	MATERIALS	GLASS THICKNESS	FINISH	PRICE
0070RAIL10-0606-01	Aluminium	06.06 or 12 mm	Natural anodised (02)	429,24 €
0070RAIL10-0606-03	Aluminium	06.06 or 12 mm	Lacquered RAL 7016 (03)	508,76 €
0070RAIL10-0808-01	Aluminium	08.08	Natural anodised (02)	429,24 €
0070RAIL10-0808-03	Aluminium	08.08	Lacquered RAL 7016 (03)	508,76 €
0070RAIL10-1010-01	Aluminium	10.10	Natural anodised (02)	429,24 €
0070RAIL10-1010-03	Aluminium	10.10	Lacquered RAL 7016 (03)	508,76 €

The above prices include the profile, wedges, covers and SABCO seals.
Possibility of cutting to the requested length.



PACK SCREWDRIVER + TORX BIT

REFERENCE		PRICE
007-TRVS-2NM	It allows tightening the glass in the wedges.  Order minimum 1 for torque conformity	65 €

: Net price



SUPER DEGREASER

REFERENCE		PRICE
FOURN-NET-FREINS	Cleaning spray - 600ml	9 €

: Net price



«For a speak-thru solution (hygiaphone), please contact our sales department».

YOUR CONTACT:



We Build the Invisible

